



KINGSTONE ACADEMY TRUST APPROVED POLICY DOCUMENT

ALLERGY MANAGEMENT SAFETY POLICY and GUIDANCE

Relevant School/s:	Kingstone Academy Trust: • Kingstone & Thruxton Primary School • Kingstone High School
Policy Officer:	Louise Moore
Responsible Senior Leader(s)	Head of Kingstone & Thruxton Primary School: Mrs Amy Preece Head of Kingstone High School: Mr Matthew Morris
Approval:	Delegated
Date of Review:	September 2026
Next Review:	Annual
Distribution:	Staff, trustees, public Website Anyone providing foodstuffs or ingredients or working with food preparation and serving food

ALLERGY MANAGEMENT SAFETY POLICY and GUIDANCE

Contents

INTRODUCTION	3
STATEMENT OF INTENT	4
AIMS	5
LEGISLATION and GUIDANCE	5
MEDICAL CONDITIONS POLICIES and INSPECTION	5
ROLES and RESPONSIBILITIES	5
Trustees	5
Head of School.....	6
Members of Staff with Responsibilities for Medical Needs	7
Teaching and Support Staff	8
Parents / Carers	8
Students with allergies (as age appropriate)	9
Students without allergies (as age appropriate).....	9
PROCEDURES for HANDLING ALLERGIC REACTION	9
Register of Students with Adrenaline Auto-Injectors (AAIs).....	9
Allergic Reaction Procedures.....	10
Action to be taken	11
SUPPLY, STORAGE, CARE and DISPOSAL of MEDICATION	12
SPORTS ACTIVITIES in SCHOOL.....	13
EVENTS and SCHOOL TRIPS.....	13
MANAGING INSECT STING ALLERGY	14
CATERING	14
ALLERGY AWARENESS and NUT BANS	15
RISK ASSESSMENT	15
TRAINING	16
ALLERGIES and BULLYING	16
Further Information and Guidance	17
Links to Other Policies	17
Appendix 1 – Allergy Management Checklist.....	18
Appendix 2 – Glossary of Terms	18
Appendix 3 – Information on Allergies	19
Appendix 4 - Anaphylaxis Risk Assessment Form.....	20
Appendix 5 - First Aid for Anaphylaxis Poster	22
Appendix 6 - Epipen AAI Instructions	23
Appendix 7 - Jext AAI Instructions	24
Appendix 8 - Letter to Pharmacy to order spare AAIs	25
Appendix 9 – Flowchart for Allergic Reaction without use of Adrenaline Auto-Injector	26
Appendix 10 – Flowchart for Allergic Reaction with use of Adrenaline Auto-Injector	27

INTRODUCTION

Allergy is a medical condition in which the body reacts to normally harmless substances such as food, insect stings, contact allergens and airborne allergens. Many individuals with allergies to food or insect stings are at risk of anaphylaxis, which is a serious and potentially fatal allergic reaction affecting the whole body and in particular the Airway, Breathing and Circulation ('ABC').

Allergy is a spectrum of different allergic diseases. Reactions occur when a susceptible person is exposed to something (an 'allergen') they are allergic to. Asthma, food allergy, eczema and seasonal rhinitis (hay fever) are all forms of allergy. Coeliac disease and intolerance can present symptoms which are similar to those of food allergy.

Common allergic conditions include:

- **Hay Fever (Allergic Rhinitis)** which is triggered by allergens that can be carried in the air (aeroallergens'), such as pollen, house dust mite, animal fur / feathers, or mould. Symptoms include sneezing, a runny or stuffed nose and itchy or watery eyes.
- **Skin Allergies** (eczema, contact dermatitis, contact urticaria / hives) which are caused by contact with allergens including dust mites, pollen and substances like nickel, latex, and some chemicals. Symptoms include itching, hives and dry, flaky skin. Reactions can be delayed, occurring many hours after contact.
- **Food Allergy** which can cause symptoms ranging from mild itching in the mouth to whole body reactions including anaphylaxis, i.e. allergic reactions which affect the Airway, Breathing and Circulation.
- **Asthma** which in children and young people is usually allergic in nature, meaning that it may be triggered by airborne allergens such as e.g. dust mites or pollen.

Less common allergic conditions in children and young people include allergy to insect stings (e.g. bee, wasp) and medicines.

There is a spectrum of severity, from mild local reactions (as is common in mild hay fever) to whole body reactions (common with food allergy) to more serious reactions like anaphylaxis. In general, most allergic reactions are not severe. Even for food allergy, there is a spectrum of severity ranging from mild itchy mouth / throat to whole body, but mild, skin rashes through to anaphylaxis.

Most allergic reactions do not affect the Airway, Breathing and Circulation and can be treated with a non-drowsy oral antihistamine (typically available 'over the counter' for those aged over 6 years) or local treatments such as nose sprays or eye drops. However, some children and young people are at risk of anaphylaxis and require emergency medication, for example self-administered adrenaline.

The most common causes of whole body reactions, including anaphylaxis, are:

- Foods - including peanuts, tree nuts, cow's milk / dairy foods, egg, wheat, fish / shellfish and sesame.
- Insect stings - including bee and wasp stings.
- Medication - including antibiotics and pain medicines, such as ibuprofen.
- Latex - including rubber gloves, balloons, swimming caps.

For food allergy, the majority of anaphylaxis reactions require the person to have eaten the food, although less severe allergic reactions can happen through skin or other contact. Anaphylaxis reactions due to skin contact are very rare.

Schools will need to consider arrangements to support students with allergic conditions including:

- Students with food allergy.
- Students at risk of anaphylaxis (usually allergic to food or bee / wasp sting).
- Students with allergic rhinitis or allergic eye disease or eczema, who may need to be given treatment for their condition in school (e.g. eczema creams, nasal sprays, eye drops), particularly if they have more severe allergic disease or need adaptations e.g. with sport.
- Students with eczema or asthma, who may need additional precautions (e.g. avoiding sand pits, some swimming pools).
- Students with more severe allergies to animal fur may need to take avoidance measures (e.g. exposure to pets in school, visits to petting zoos).

Most healthcare professionals consider an allergic reaction to be anaphylaxis when it involves difficulty breathing or affects the heart rhythm or blood pressure.

Food allergies are increasing, especially in children and young people, and the severity and complexity of food allergies is also increasing. Food allergies can be fatal, and an appropriate diagnosis is essential in parallel with the need for clear food labelling.

Around 5-8% of children and young people in the UK live with a food allergy and most school classrooms will have at least one student with an allergy. These young people are at risk of anaphylaxis, which requires an immediate emergency response.

20% of severe allergic reactions to food happen whilst a student is at school, and these reactions can occur in students with no prior history of food allergies. It is essential that staff are able to recognise the signs and symptoms of allergic reaction and are able to manage reactions safely and effectively.

Schools have a legal duty to support students with medical conditions, including allergies.

STATEMENT OF INTENT

Our school is committed to promoting a whole school approach to healthcare, welfare and wellbeing and the safe management of those members of our school community who live with specific allergies.

We believe that all allergies should be taken seriously and dealt with in a professional and appropriate way.

By our actions we will work proactively to:

- Minimise the risk of exposure within the school setting.
- Encourage self-responsibility, where appropriate.
- Learn avoidance strategies.
- Have robust plans for an effective response to possible emergencies.
- Ensure inclusivity for all students.

Our school is clear about the need to actively support students with medical conditions to participate in school life. The school will consider what reasonable adjustments need to be made to enable these students to participate fully and safely in all aspects of school life.

Risk assessments will be carried out so that planning arrangements take account of any steps needed to ensure that students with medical conditions are included. In doing so, students, their parents and any relevant healthcare professionals will be consulted.

AIMS

This policy aims to ensure that:

- The school complies with all relevant legislation, regulations and associated requirements.
- Proactive steps are in place to keep students safe.
- Students from diverse backgrounds, ethnicities or different cultural heritages are not disadvantaged when dealing with allergies and food labelling.
- We work with the catering provider / team to establish a robust process and documentation for menu planning, food labelling, avoidance of cross-contamination, stock ordering and storage of food and drink used at the school.
- We provide an effective staff awareness programme on food allergies and intolerances, recognition of possible symptoms (anaphylaxis) and actions to take.
- We develop a student awareness programme through PHSE and other curriculum areas.

LEGISLATION and GUIDANCE

Under section 100 of the Children and Families Act 2014 schools have a legal duty to support students with medical conditions. Schools must adhere to legislation and statutory guidance on caring for students with medical conditions, including the administration of allergy medication and Adrenaline Auto-Injectors (AAIs).

This policy is based on the Department for Education (DfE)'s guidance on [allergies in schools](#) and [supporting students with medical conditions at school](#), the Department of Health and Social Care's guidance on [using emergency adrenaline auto-injectors in schools](#), as well as the [Food Information Regulations 2014](#) and the [Food Information \(Amendment\) \(England\) Regulations 2019](#).

MEDICAL CONDITIONS POLICIES and INSPECTION

Schools are required to have a Supporting Children and Young People with Medical Conditions Policy (including allergy) in place as well as this, dedicated Allergy Management Safety Policy.

As part of its inspection arrangements, Ofsted will consider the effectiveness of a school setting's arrangements for safeguarding and for inclusion. Inspectors will consider medical conditions and allergy safety policies and the effectiveness of their implementation as part of the inspection process.

ROLES and RESPONSIBILITIES

Trustees

The Trustees are responsible for ensuring:

- The school has a strategic vision for the management of allergy risk assessment and emergency procedures.
- The school has suitable, robust and effective arrangements in place to identify and safeguard the wellbeing of students, because of their own or someone else's allergy.
- The school provides appropriate training, information, instruction, induction and supervision on a regular basis to enable everyone to stay safe regarding allergies and their management.

- Adequate resources for managing allergies are available.
- Appropriate material is available on the school website for parents / carers, highlighting how the school is managing students with allergies.
- Monitoring the effectiveness of this policy to ensure it remains fit for purpose.

The Trustees delegate the day-to-day responsibility for the effective delivery of this policy to the Head of School (per individual school). Procedures must remain effective during staff absence and must not rely on a single trained individual.

Head of School

The Head of School (per individual school) is the named senior leader of the school who is responsible for this Policy.

The Head of School is responsible for ensuring:

- The appointment of a designated Allergy Lead to be responsible for the operational implementation, monitoring and review of allergy management arrangements.
- The provision of, as far as reasonably practicable, a safe and healthy environment in which people at risk of allergic reaction and anaphylaxis can participate equally in all aspects of school life and are not subject to bullying because of their condition.
- All visitors, volunteers, work experience students, and contractors are made aware of the school's commitment to allergy management as part of the Safeguarding arrangements.
- The curriculum contains age-appropriate content so all students can learn about allergies and how everyone can support those who have them.
- The creation of strategic level links with healthcare professionals and catering providers and for making sure that operational level links are robust.
- That up-to-date allergy information for students is available and accessible to all relevant members of staff, including catering teams.
- There is a workable school emergency plan in place that is known by all staff.
- The school sends a copy of the medical details it holds for the students to parents / carers for review and update at the end of each school year and for obtaining updated medical information at the commencement of each calendar year and for any student joining in the year.
- Where a student requires an Individual Healthcare Plan (IHP), the involvement of healthcare and welfare professionals, teaching and catering staff, parents / carers and the student in establishing IHPs, as appropriate.
- Parents / carers provide Allergy Action Plans (AAPs) completed and signed by a healthcare professional, that can be kept with their medication, with copies made available for all staff to access and help the school support the student.
- Effective communication of individual student medical needs to all staff and that they know how and where to check for updated information.
- That all staff are trained to meet the statutory requirements and assessed needs, including awareness of triggers, anaphylaxis and first aid emergency procedures.
- An adequate risk assessment is undertaken prior to any school trips, excursions or offsite extra curricula activities for students who have allergies.
- Records of students who are medically prescribed an AAI are kept correctly.
- Student documentation and in-date medications are kept correctly and safely.
- Best practice in the labelling of foodstuffs is followed.
- That they report to the Board of Trustees regarding the management of allergies within the school.

Members of Staff with Responsibilities for Medical Needs

Members of staff who have responsibilities for medical needs within the school are responsible for:

- Following all legal requirements, recommended best practice and school procedures pertaining to allergies within the school setting.
- Reporting to the Head of School regarding students with allergies.
- Leading on the training of other staff regarding allergy medical needs and their identification and management.
- Working closely with in-house / sub-contracted catering managers in assisting in the support of students with known allergies (including meeting with parents / carers where requested) to discuss any special requirements.
- Monitoring where there is a school 'tuck shop' or where home baked items are brought into school.
- Liaising with parents / carers of students with known declared allergies to produce a risk assessment that includes sharing of information, allergy management, risk minimisation and emergency actions.
- Using an Allergy Action Plan (AAP) wherever possible for students with recognised allergies, keeping it with their medication and making sure that copies of the AAP are available for all staff to access.
- Making sure that where an additional written Individual Healthcare Plan (IHP) is not required, that the AAP is viewed and treated with the same level of seriousness.
- Ensuring all copies of the AAP / IHP located around the school and / or on IT systems are identical if an updated version is received.
- Making sure that where an AAP has not been received for a student with recognised allergies, or if the medication information is not clear, that they liaise with GP / healthcare professional, to obtain an up-to-date copy and / or clarification.
- Ensuring medication is stored in a rigid box and clearly labelled with the student's name and a photograph (older students should carry their AAls and medication with them).
- Making sure they are trained in the use of an AAI and competent in performing any possible required prescribed medical treatment as outlined in the student's IHP and / or AAP.
- Ensuring all school trips, excursions or off-site extra curricula activities for students are pre-checked so that 'safe' food is provided or that effective controls are in place to minimise the risk of exposure for students with allergies.
- Making sure the school has an audited spare supply of in-date AAls that are kept in a safe space at room temperature that is accessible, secure but not locked away and all staff are aware of the location.
- Monitoring the use of all AAls to ensure they are within the expiry date including those brought into the school by students or external sources and are of the correct dosage.
- Arranging for the correct disposal of out-of-date AAls.
- Ensuring that all staff are aware of the emergency procedures including how to call the emergency services where anaphylaxis is suspected in an undiagnosed individual.
- Recording all emergency uses of AAls or reports of suspected emergencies.
- Ensuring that if the school is notified that a student is no longer allergic to a particular food, this information is checked prior to updating records and the IHP (if applicable).

Teaching and Support Staff

All teaching and support staff are responsible for:

- Following, as directed, all of the requirements of the school, including all legal requirements, recommended best practice and school procedures pertaining to allergies within the school setting.
- Completing appropriate anaphylaxis training, so as to be able to recognise the signs of severe allergic reactions and anaphylaxis and to respond to an allergy emergency.
- Raising awareness about allergies and anaphylaxis amongst their students in the classroom and around school, especially in dining areas.
- Encouraging self-responsibility and learned avoidance strategies amongst students living with allergies.
- Helping all students to understand which foods are safe for those with allergies and how they can support other students with specific dietary needs to stay safe.
- Highlighting the need for anti-bullying of students with the condition.
- Being aware of the students in their care (including regular cover classes) who have known allergies, as an allergic reaction could occur at any time, not just at breaks or mealtimes.
- Carefully considering the use of food or other potential allergens in lesson and activity planning.
- Making sure that any food-related activities are supervised with due caution whilst following best practice for storing, preparing, cooking and serving food.
- Ensuring that when they are leading on a school trip that they check that all students with medical conditions, including allergies, are carrying their medication.
- Making sure that when leading a school trip, excursion or off-site extra curricula activity that they carry all relevant emergency supplies with them.

Parents / Carers

Parents / carers are responsible for:

- Providing the school with up-to-date details of their child's medical needs, dietary requirements, and any history of allergies, reactions and anaphylaxis.
- Informing the school of any changes as soon as they are known.
- Talking with their child about allergy self-management, including what foods are safe and unsafe, how to read food labels, strategies for avoiding allergens, how to spot symptoms of allergy, how and when to tell an adult if they are experiencing an allergic reaction.
- Providing an AAP, completed by a healthcare professional, that can be kept with their medication and help the school support the student.
- Contributing to the provision of an IHP in partnership with the school, and relevant healthcare professionals, where required.
- Providing any other written medical documentation, instructions and medications as directed by a healthcare professional.
- Meeting with the catering provider, as necessary, to discuss any specific requirements relating to their child's allergy (information from these meetings will be recorded by the catering provider).
- Being aware of the school Allergy Policy and any arrangements for managing students with allergies and at risk of anaphylaxis.
- Communicating regularly with the school to support them with keeping students safe and acting immediately in the event of an allergic reaction.

- If required, provide their child with two in-date adrenaline auto-injectors and any other medication, including inhalers, antihistamine etc., and making sure these are replaced in a timely manner.
- Registering their AAls on the manufacturer's websites to receive text alerts for expiry dates.
- Carefully considering the food they provide to their child as packed lunches and snacks, and trying to limit the number of allergens included.
- Following the school's guidance on food brought in to be shared.
- Replacing medications after use or upon expiry.
- Being involved in reviewing the policy and procedures with the school's Head of School and / or member of staff responsible for medical needs, the student's doctor and the student (if age appropriate) after a reaction has occurred.

Students with allergies (as age appropriate)

These students are responsible for:

- Having a good awareness of their allergies and supporting the knowledge of peers in helping keep them safe.
- Being proactive in the care and management of their food allergies and reactions and medication.
- Making sure they do not exchange food with others and taking care to avoid any foods which may cause an allergic reaction.
- Reading food labelling but, if unsure, avoiding the food.
- Avoiding eating anything with unknown ingredients.
- Knowing where their medication is kept and (if age appropriate and confident enough to administer their own auto-injectors) taking responsibility for always carrying AAls on their person.
- Informing an adult as soon as they suspect they are experiencing signs of allergic reaction.

Students without allergies (as age appropriate)

These students are responsible for:

- Being aware of allergens and the risks they pose to their peers.

PROCEDURES for HANDLING ALLERGIC REACTION

Register of Students with Adrenaline Auto-Injectors (AAls)

The school maintains a register of students who have been prescribed AAls or where a doctor has provided a written plan recommending AAls to be used in the event of anaphylaxis. The register includes:

- Known allergens and risk factors for anaphylaxis.
- Whether a student has been prescribed AAls and if so, what type and dose.
- Where a student has been prescribed an AAI, whether parental consent has been given for use of the spare AAI, which may be different to the personal AAI prescribed for the student.
- A photograph of each student to allow a visual check to be made.

The register is kept in every classroom and can be checked quickly by any member of staff as part of initiating an emergency response.

Allergic Reaction Procedures

As part of the whole-school awareness approach to allergies, all staff are trained in the school's allergic reaction procedure, and to recognise the signs of anaphylaxis and respond appropriately.

Staff are trained in the administration of AAI's to minimise delays in a student receiving adrenaline in an emergency.

If a student has an allergic reaction, the staff member will initiate the school's emergency response plan and, where applicable, following the student's Allergy Action Plan.

If an AAI needs to be administered, a member of staff will use the student's own AAI, or if it is not available, a school AAI. If the student has no Allergy Action Plan, staff will follow the school's procedures on responding to allergies and, if needed, the school's normal emergency procedures.

A school AAI device will be used instead of the student's own AAI device if:

- Medical authorisation and written parental consent have been provided, or
- The student's own prescribed AAI(s) are not immediately available (for example, because they are broken, out-of-date, have misfired or been wrongly administered).

If a student needs to be taken to hospital, staff will stay with the student until the parent / carer arrives or accompany the student to hospital by ambulance.

If the allergic reaction is mild (e.g. skin rash, itching or sneezing), the student will be monitored and the parents / carers informed.

All students at risk of anaphylaxis should have an Allergy Action Plan that describes exactly what to do and who to contact in the event of them having an allergic reaction. The BSACI Allergy Action Plans include this information and are recommended for this purpose. The plan should include First Aid procedures for administering adrenaline.

Symptoms of anaphylaxis usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- A red raised rash (known as hives or urticaria) anywhere in the body.
- A tingling or itchy feeling in the mouth.
- Swelling of lips, face or eyes.
- Stomach pain or vomiting.

More serious symptoms are often referred to as the ABC symptoms and can include:

A	B	C
AIRWAY	BREATHING	CIRCULATION
Persistent cough Hoarse voice Difficulty swallowing Swollen tongue	Difficult or noisy breathing Wheeze or persistent cough	Persistent dizziness Pale or floppy Suddenly sleepy Collapse unconscious

The term for this more serious reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

If the student has been exposed to something they are known to be allergic to, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly so a treatment is needed that works rapidly. Adrenaline is the mainstay of treatment, and it starts to work within seconds. It opens up the airways, stops swelling and raises the blood pressure.

Action to be taken

- Position is important – lie the person flat with legs raised or sit them up if they are having breathing problems.
- Call for help and do not leave them unattended.
- Give adrenaline – **WITHOUT DELAY**.
- Always give adrenaline immediately to treat anaphylaxis. **If in doubt, give adrenaline.** Delays in giving adrenaline are associated with fatal outcomes.
- NEVER let a person having anaphylaxis stand or walk around. Always bring help and medicines to the person, and not the other way round.
- Call an ambulance (999) and tell the operator it is anaphylaxis.
- Stay with the person until medical help arrives.
- If symptoms do not improve within five minutes of a first dose of adrenaline, give a second dose using another AAI.
- If no signs of life commence CPR.
- Call the parent / carer as soon as possible.

A person who has a serious allergic reaction and / or is given adrenaline should always be taken to hospital for further observation and treatment.

Sometimes anaphylaxis symptoms can recur after the first episode has been treated. This is called a biphasic reaction.

Whilst you are waiting for the ambulance keep the student where they are. Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All students must go to hospital for observation after anaphylaxis even if they appear to have recovered as a biphasic reaction can re-occur after treatment.

When an incident, or a 'near-miss', occurs it must be recorded. It should be reported to the students' parents / carers and the governing body, alongside any statutory reporting requirements. Lessons should be learned from any serious incident or 'near-miss', which may prompt a review of this policy.

Incident records should set out:

- Who was affected.
- What happened, when and where.
- Why the incident occurred (as far as is known).

- How staff and students responded – what was done to support the individual, whether the emergency services were called.
- How the incident concluded.

Schools acting as food businesses must report any allergen-related food safety to the Local Authority when unsafe food has been supplied (for example, food containing an undeclared allergen). Further information can be found at [Report a food safety issue](#).

SUPPLY, STORAGE, CARE and DISPOSAL of MEDICATION

Depending on their level of understanding and competence, students will be encouraged to take responsibility for their own AAls and to always keep them on their person, in a suitable bag or container.

For younger children or those not ready to take responsibility for their own medication, there should be an anaphylaxis kit which is kept safely, not locked away and accessible to all staff and not located more than 5 minutes away from where they may be needed.

Medication should be stored in a suitable container and clearly labelled with the student's name. The medication storage container should contain:

- Two AAls i.e. EpiPen® or Jext®.
- An up-to-date Allergy Action Plan.
- Antihistamine as tablets or syrup (if included in the Allergy Action Plan).
- Spoon, if required.
- Asthma inhaler (if included in the Allergy Action Plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the SENCO / First Aider (delete or substitute as appropriate) will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant AAls their child is prescribed to make sure they can get replacement devices in good time.

Older children and teenagers should, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can come on very suddenly, so school staff need to be prepared to administer medication if the young person cannot.

AAls should be stored at room temperature, protected from direct sunlight and temperature extremes.

AAls are single use only and must be disposed of as sharps. Used AAls can be given to ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin. Sharps bins should be obtained from and disposed of by a clinical waste contractor / specialist collection service / local authority (delete as appropriate).

Sharps bins are kept in the following locations: first aid room and main reception office.

Schools are required to have 'spare' AAls even if there are no students who have been prescribed one. This is because anaphylaxis reactions are unpredictable and up to 20% of anaphylaxis reactions in schools happen in children without a pre-existing diagnosis of food

allergy. Schools may also have children with food allergies who have been assessed as being at lower risk of anaphylaxis and as a result have not been prescribed their own AAI.

Schools must purchase and store spare AAIs. These can be bought from pharmacies and a template letter which can be used to request the necessary AAIs is provided in Appendix 8. The first aider in the main reception office is responsible for buying the AAIs, ensuring they are stored according to the guidance, are in date and that replacement AAIs are obtained when the expiry date is near.

The Medicines & Healthcare products Regulatory Agency (MHRA) has clarified that a legal exemption under the Human Medicines (Amendment) Regulations 2017 permits school's spare AAIs to be used for the purpose of saving a life for a student, or other person, not known to be at risk of anaphylaxis (i.e. who does not have medical authorisation / consent in place for the spare device). The spare AAI can be used with anyone experiencing anaphylaxis in an emergency, for the purpose of saving their life.

Immediate access to an AAI can be lifesaving and while it's vital that families have their own prescribed AAIs for their child, having spare AAIs at school adds an extra layer of reassurance for everyone involved and creates a safer and more inclusive environment for students managing severe allergies.

Spare AAIs will be kept separate from any student's own prescribed AAI and clearly labelled to avoid confusion.

Spare AAIs should be stored in pairs, so that if a second one is necessary it is on hand rather than needing to be obtained from elsewhere on site.

Schools may choose to have an 'Emergency Anaphylaxis Kit' clearly marked as such (e.g. in a red box) containing the spare AAIs and instructions for use. (The kit can also contain an emergency asthma reliever inhaler and spacers if required).

Spare AAIs are located in the following places:

Location	Kingstone High School - Main Reception Office
Location	Kingstone and Thruxton Primary School - First Aid Room

SPORTS ACTIVITIES in SCHOOL

All students with allergies and who have been prescribed AAIs should take their AAIs to the sports ground / hall with them. The teachers leading the sports sessions should all be first aid trained and this must include how to manage serious allergy and anaphylaxis.

EVENTS and SCHOOL TRIPS

For events, including ones that take place outside of the school, and school trips, no students with allergies should be excluded from taking part.

The school must ensure that all events and school trips are planned accordingly and risk assessed. The school will make sure that all staff members involved are aware of students' allergies and that they have received adequate training.

Students should have their own AAls with them and the school should consider whether it may be appropriate to take spare adrenaline devices in case of emergency.

MANAGING INSECT STING ALLERGY

Insect sting (including bee and wasp) allergy causes a lot of anxiety and needs careful management.

Students with insect sting allergy should wear shoes at all times when they are outdoors and any food or drink should be covered.

Adults supervising activities must ensure that suitable medication, including AAls, is always on hand for the management of anaphylaxis.

CATERING

All food businesses, including school caterers, must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

The school menu is available for parents to view six months in advance. All allergens are listed during each service.

The First Aid Team will inform the catering provider of pupils with food allergies.

It is good practice to keep a list of individuals with known allergies (including up to date photos and lists of their known allergens) in places where food may be served or handled (including kitchens as well as food technology, science and art and craft classrooms).

Parents / carers are encouraged to meet with the catering provider to discuss their child's needs.

The school adheres to the following Department of Health guidance recommendations:

- Bottles, other drinks and lunch boxes provided by parents for students with food allergies are clearly labelled with the name of the student for whom they are intended.
- Where food is purchased from the school canteen / tuck shop, parents are advised to check the appropriateness of foods by speaking directly to the catering provider.
- School caterers provide information on food allergens to parent / carers and have this available for the student to be able to check independently. Catering staff are available to meet with parents / carers to discuss the provision of allergen safe meals.
- School leaders engage with caterers to understand the controls in place to ensure that food service conforms with legislation.
- Students are taught to check with catering staff before purchasing food or selecting their lunch choice.
- Where food is provided by the school, staff are educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food. Examples include preparing food for students with food allergies first; careful cleaning food preparation areas and utensils, using warm soapy water. (For further information, parents / carers are encouraged to liaise with the catering provider).

- Where food is not directly provided by the school (for example brought in as treats or to celebrate birthdays) parental engagement and permission is sought in advance to ensure inclusion and safety for students with allergies.
- Staff are made aware that unlabelled food poses a potentially greater risk of allergen exposure than packaged food with precautionary ('may contain') labelling suggesting a risk of contamination with allergen. This applies to foods used within the classroom curriculum (e.g. cooking) as well as from the school kitchen or canteen.
- The use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) is considered as it may need to be restricted / risk assessed depending on the allergies of particular students and their age.
- In arts and crafts, an appropriate alternative ingredient will be substituted (e.g. wheat-free flour for play-dough or cooking). Food containers (egg cartons, yoghurt pots etc.) can be contaminated with food and alternative, non-food containers for craft activities will be used, where possible. If essential to the activity, e.g. junk modelling, it is ensured that all materials used are free from any allergens that might pose a risk for a specific student.
- When planning out-of-school activities such as sporting events, excursions (e.g. restaurants, food processing plants), school outings or camps, staff fully consider the catering requirements of the students with food allergies and the emergency planning requirements (including access to emergency medication and medical care).

ALLERGY AWARENESS and NUT BANS

The school supports the approach advocated by many allergy charities towards nut bans / nut free schools, who would not necessarily support a blanket ban on any particular allergen in any establishment, including in schools. This is because nuts are only one of many allergens that could affect students, and no school could guarantee a truly allergen free environment for a student living with food allergy. They advocate instead for schools to adopt a culture of allergy awareness and education.

A 'whole school awareness of allergies' strategy is a much better approach, as it ensures teachers, students and all other relevant persons are aware of what allergies are, the importance of avoiding the students' allergens, the signs and symptoms, how to deal with allergic reactions and to ensure policies and procedures are in place to minimise risk.

RISK ASSESSMENT

The school will conduct a detailed individual risk assessment for all new joining students with allergies and any students newly diagnosed, to help identify any gaps in our systems and processes for keeping allergic students safe. The school will ensure allergy information, healthcare plans and medication arrangements are reviewed during transition between schools, year groups and key stages.

The assessment will cover any student at risk of anaphylaxis taking part in:

- Lessons such as food technology.
- Science experiments involving foods.
- Crafts using food packaging.
- Off-site events and school trips.
- Any other activities involving animals or food, such as animal handling experiences or baking.

See Appendix 4 for an anaphylaxis risk assessment template example.

TRAINING

An allergic reaction can occur at any time so all staff should be trained on what to do in the event of an allergic reaction, as a student may be under supervision when this happens. Allergy training should be refreshed annually, and new and temporary staff should be trained as soon as they join the school to ensure confidence and competence. Supply staff, agency staff and volunteers will receive a briefing before working with pupils and will be informed how to identify pupils at risk, access healthcare plans and locate emergency medication.

Allergy training should include a practical session using dummy training AAIs, which are available to order through the manufacturer's website.

Training should ensure all staff:

- Have an awareness of allergy, the risks it poses, how allergic reactions can occur and how to manage them.
- Understand that allergy includes multiple conditions (food allergy, asthma, eczema, hay fever, others) which can co-exist.
- Understand and can identify the main food allergens and understand the difference between food allergy, intolerance and coeliac disease.
- Can identify the range of symptoms of allergic reactions.
- Understand and can recognise anaphylaxis.
- Know how to respond in an emergency, including calling emergency services and how to locate and administer adrenaline in a case of anaphylaxis or an asthma reliever inhaler during an asthma attack. This should include training in how to use the adrenaline devices prescribed to students and / or the spare adrenaline devices which are stocked.
- Understand the impact which allergy can have on a student's wellbeing.
- Understand this allergy safety policy.
- Know how to check whether an individual is on the record of those with known allergies and how to use an Allergy or Asthma Action Plan.
- Understand their responsibilities in reducing the risk of individuals with known allergy coming into contact with their known allergens.
- Understand how to report an allergic reaction or case of anaphylaxis (whether an incident or a near miss).

ALLERGIES and BULLYING

By law, all state schools must have a behaviour policy in place that includes measures to prevent all forms of bullying among students, and this is a policy decided by the school.

All teachers, students and parents must be told what it is, and allergy bullying should be treated seriously, like any other bullying.

Schools must, under Section 100 of the Children and Families Act 2014, aim to ensure that all children and young people with medical conditions, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

The Department for Education has provided statutory guidance for schools and colleges on keeping children safe in education. Download here: [Keeping children safe in education](#)

Further Information and Guidance

Other useful websites include:

- [NSPCC](#)
- [National Bullying Helpline](#)
- [Family Lives](#)
- [Kidscape](#)
- [Anti-Bullying Alliance](#)
- [Young Minds](#)
- [Childline](#)
- [Bullybusters](#)

Links to Other Policies

This policy links to the following policies and procedures: (amend as necessary)

- Health and safety policy.
- Supporting students with medical conditions policy.
- Catering provider Allergens policy.

A copy of this policy has been made available on the school's website and can be made available in hard copy on request.

Appendix 1 – Allergy Management Checklist

- Does the student have an Individual Healthcare Plan?
- Has the school purchased spare adrenaline auto-injectors?
- Does each student have a completed and signed Allergy Action Plan?
- Have all school staff been trained in allergies and anaphylaxis?
- Does the school allergy policy include where and how to store AAIs?
- Is there a schedule to check the expiry dates on spare AAIs and each student AAI?
- Does the allergy policy cover food catering for students with allergies?
- Does the allergy policy include student allergy awareness?
- Has the school completed an allergy risk assessment?
- Does the allergy policy include risk assessment of extra curricula activities?
- Does the allergy policy cover safeguarding students with allergies, including bullying?

Appendix 2 – Glossary of Terms

Allergy Action Plan

These plans have been designed to facilitate first aid treatment of anaphylaxis, to be delivered by people without any special medical training or equipment, apart from access to AAIs. These plans are medical documents and should be completed by the student's healthcare professional in partnership with parents / carers. The plans have been designed to function as Individual Healthcare Plans for children and young people at risk of anaphylaxis. Download example here: [BSACI - Allergy Action Plans](#)

Individual Healthcare Plan

These plans are drawn up in partnership between the school, parents / carers and a relevant healthcare professional e.g. school nurse, specialist or children's community nurse or paediatrician, who can best advise on the particular healthcare needs of a student. Students should also be involved whenever appropriate. The aim should be to capture the steps which a school should take to help the student manage their specific condition and overcome any potential barriers to getting the most from their education. Download here: [Supporting students with medical conditions at school](#)

NB - Where a student's health issues are related only to their allergy, the Allergy Action Plan can function as their Individual Healthcare Plan.

Asthma Action Plan

Students with asthma should be provided with an Asthma Action Plan. These plans are medical documents and should be completed by the student's healthcare professional in partnership with parents / carers. The plan provides everything staff need to know about a student's asthma in one place, including information about their triggers, symptoms, and medicines to be used if they have asthma symptoms and when to seek emergency help when they have an asthma attack. The plans include medical and parental consent for staff to administer an emergency reliever inhaler in the event of an asthma attack. Download example here: [Asthma and Lung UK - Asthma Action Plan](#)

Serious Incident

A serious incident is any event relating directly to a medical condition, including allergy, in which a student, member of staff or visitor with a medical condition or allergy is harmed or is placed at an immediate and significant risk of harm, including situations requiring emergency medication, urgent clinical intervention or attendance by emergency services.

Near Miss

A near miss is an event relating directly to a medical condition, including allergy, that did not result in harm but had the clear potential to do so, for example, where an error, omission or system failure could reasonably have led to a serious incident had circumstances been only slightly different.

Appendix 3 – Information on Allergies

The most common causes of food allergies relevant to this policy are the fourteen food allergens:

Cereals containing Gluten	Nuts
Celery	Peanuts
Crustaceans	Mustard
Eggs	Sesame Seeds
Fish	Sulphur Dioxide / Sulphites
Soya	Lupin
Milk	Molluscs

However, it is possible that any food has the potential to cause an allergic reaction. Contact with any food or materials containing a student's allergen has the potential to cause an allergic reaction for that student.

Latex, chemicals, medicines, grasses, pollen, weeds, pets, insect venom and animal dander (shedded flakes of skin) can also cause allergic reactions.

Symptoms

Mild to moderate symptoms include:

- Swelling of the eyes, face and lips.
- Runny or congested nose.
- Raised itchy rash (hives), eczema flare, skin flushing.
- Itchy mouth.
- Stomach cramps, nausea, vomiting, diarrhoea.

Severe symptoms include:

- Swollen tongue, hoarse voice or cry, difficulty swallowing and talking.
- Chest tightness.
- Breathing difficulties, persistent cough, wheeze.
- Low blood pressure, feeling faint, collapse.
- Pale and floppy (babies and small children).



Appendix 4 - Anaphylaxis Risk Assessment Form

This assessment should be completed in liaison with the parents / carers of the student, if appropriate.
It should be shared with everyone who has contact with the student.

Student's Name:	Date of Birth:								
Key Worker / Teacher / Tutor:	Name and role of other professionals involved in this assessment:								
Date of Assessment:	Planned Review Date:								
I give permission for this assessment to be shared with anyone who needs this information to keep the student safe: <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Head of School:</td> <td style="width: 50%;">Date:</td> </tr> <tr> <td>Parents / Carers:</td> <td>Date:</td> </tr> <tr> <td>Student:</td> <td>Date:</td> </tr> </table>				Head of School:	Date:	Parents / Carers:	Date:	Student:	Date:
Head of School:	Date:								
Parents / Carers:	Date:								
Student:	Date:								
What is the student allergic to?									
Allergen exposure risks to be considered: Ingestion ☐ Direct Contact ☐ Indirect Contact ☐									
Does the student already have an Allergy Action Plan or an Individual Healthcare Plan? Yes ☐ No ☐									
Is the student prescribed adrenaline auto-injectors (AAIs)? Yes ☐ No ☐									
Summary of current medical evidence seen as part of the assessment (copies attached)									
Key Questions: Please consider the activities below and insert any considerations that need to be put in place to enable the student to take part.									
Activities:									
Creative activities: i.e. craft paste / glue, crayons / painting, pasta									
Science type activities: i.e. bird feeders, planting seeds, food									
Musical instrument sharing: (cross contamination issue)									
Cooking: (food prep area and ingredients)									
Mealtime:									
Kitchen prepared food (is allergy information available?):									

Packed lunches:	
Snacks: (is allergy information available?)	
Drinks:	
Celebrations: i.e. Birthday, Easter	
Hand washing: (how accessible is this for the student)	
Indoor play / PE: (AAIs to be with student)	
Outdoor play / PE: (AAIs to be with student)	
School field: (AAIs to be with student)	
Forest school: (AAIs to be with student)	
Offsite trips: (are staff who accompany trip trained to use AAI?)	
Allergy management:	
Does the student know when they are having an allergic reaction?	
What signs are there that the student is having an allergic reaction?	
What action needs to be taken if the student has an allergic reaction?	
If the medication is stored in one secure place are there any occasions when this will not be within 5 minutes reach if required?	Yes ☐ No ☐
If Yes state when and how this can be adjusted:	
If the student is trained and confident can the medication be carried by them throughout the day?	Yes ☐ No ☐
If No state the reason:	
Does the student have two of their own prescribed AAIs?	
How many staff need to be trained to meet the needs of the student?	
Are there spare AAIs available and where are they located?	
Outcome of risk assessment	
New Allergy Action Plan / Individual Healthcare Plan required?	Yes ☐ No ☐
Existing Allergy Action Plan / Individual Healthcare Plan to be updated?	Yes ☐ No ☐

FIRST AID FOR ANAPHYLAXIS



Recognise the Signs of Anaphylaxis...

A Airways

- Persistent cough
- Hoarse voice
- Difficulty swallowing
- Swollen tongue

B Breathing

- Difficult or noisy breathing
- Wheeze or persistent cough

C Circulation

- Persistent dizziness
- Pale or floppy
- Suddenly sleepy
- Collapse/unconscious

An allergic reaction can escalate to anaphylaxis which is potentially life-threatening. Always consider anaphylaxis in a food-allergic person even if there are no signs of a rash, hives or swelling.

ANAPHYLAXIS: ACTIONS TO TAKE

If any one or more of the above ABC symptoms are present, take these steps.


1. Administer an Adrenaline Auto Injector (AAI) without delay

Inject the AAI into the top of the outer thigh. If you're in doubt that it is anaphylaxis but one or more ABC symptoms are present, give the AAI, it will not harm them.



2. Dial 999 and say anaphylaxis ('ana-fill-axis')

Stay with the person until the ambulance arrives. **DO NOT** let them stand up and walk around.



3. The person should lie down immediately

If the person is not already lying down, they should do so, with legs raised if possible. If breathing is difficult, allow them to sit. If they have vomited or feel sick, gently turn them on their side.



4. Inject a second AAI into the outer thigh if there are no signs of improvement after 5 minutes

If there is no sign of life, start CPR immediately until help arrives.

Please learn these steps. This is life-saving information. You never know when you will need to act in an anaphylaxis emergency.

ANAPHYLAXIS

HOW TO USE EPIPEN AAIS

If you think someone has an anaphylactic reaction, give the AAI without delay. It will not harm them.

Always consider anaphylaxis in a food-allergic person even if there are no signs of a rash, hives or swelling.

1. Remove the blue safety cap

Grasp the EpiPen in your dominant hand and remove the blue safety cap by pulling straight up. **Remember: Blue to the Sky, Orange to the Thigh!**



2. Position the orange tip

Hold the EpiPen at 90°, approximately 10cm away from the leg, with the orange tip pointing towards the outer thigh.

3. Administer the EpiPen AAI

Jab the EpiPen firmly into the outer thigh at a right angle. Hold firmly for 3 seconds, before removing and safely discarding.



4. Once the EpiPen AAI has been administered call 999

Ask for an ambulance and say "ana-fill-axis".

5. Lie the person down with legs raised immediately

If the person is not already lying down, they should do so, with legs raised if possible.

If breathing is difficult, allow them to sit. If they have vomited or feel sick, gently turn them on their side.



6. If there are no signs of improvement after 5 minutes, use a second EpiPen AAI

The person should remain still and lying down until the ambulance arrives. **Don't try to get up, even if you start to feel better.**

7. Start CPR

If there are no signs of life, start CPR immediately until help arrives.



For more information on EpiPen AAIs >>



Sign up to the free expiry alert service and receive reminders by text or email when your EpiPen is about to expire >>



ANAPHYLAXIS

HOW TO USE JEXT AAIS

If you think someone has an anaphylactic reaction, give the AAI without delay. It will not harm them.

Always consider anaphylaxis in a food-allergic person even if there are no signs of a rash, hives or swelling.


- 1. Hold the Jext AAI in the hand you write with**

Hold with your thumb closest to the yellow cap. Pull off the yellow cap with your other hand.



- 2. Place the black injector tip against the outer thigh**

Hold the injector at a right angles (approx. 90°) to the thigh.



- 3. Push the black tip as hard as you can into the outer thigh**

Wait until you hear a 'click' confirming the injection has started, then keep it pushed in. Hold the injector firmly in place against the thigh for 10 seconds (a slow count to 10) then remove. The black tip will extend automatically and hide the needle.



- 4. Massage the injection area for 10 seconds**

- 5. Once the Jext AAI has been administered call 999**

Ask for an ambulance and say "ana-fill-axis".



- 6. Lie the person down with legs raised immediately**

If the person is not already lying down, they should do so, with legs raised if possible.

If breathing is difficult, allow them to sit. If they have vomited or feel sick, gently turn them on their side.



- 7. If there are no signs of improvement after 5 minutes, use a second Jext AAI**

The person should remain still and lying down until the ambulance arrives. Don't try to get up, even if you start to feel better.

- 8. Start CPR**

If there are no signs of life, start CPR immediately until help arrives.



For more information
on Jext AAIs >>



Sign up to the free expiry alert service
and receive reminders by text or email when
your Jext AAI is about to expire >>



Appendix 8 - Letter to Pharmacy to order spare AAls

[To be completed on headed school paper]

[Date]

Dear Pharmacist

We wish to purchase emergency Adrenaline Auto-injector devices for use in our school / college. The adrenaline auto-injectors will be used in line with the manufacturer's instructions, for the emergency treatment of anaphylaxis in accordance with the Human Medicines (Amendment) Regulations 2017. This allows schools to purchase 'spare' back-up adrenaline auto-injectors for the emergency treatment of anaphylaxis.

Please supply the following devices:

Brand name*		Dose* (state milligrams or micrograms)	Quantity required
	Adrenaline auto-injector device		
	Adrenaline auto-injector device		

Signed: _____ Date: _____

Print name: _____

Head Teacher / Principal

*AAls are available in different doses and devices. Schools may wish to purchase the brand most commonly prescribed to its students (to reduce confusion and assist with training). Guidance from the Department of Health to schools recommends:

For children age under 6 years:	For children age 6-12 years:	For teenagers age 12+ years:
• Epipen Junior (0.15mg) or • Emerade 150 microgram or • Jext 150 microgram	• Epipen (0.3 milligrams) or • Emerade 300 microgram or • Jext 300 microgram	• Epipen (0.3 milligrams) or • Emerade 300 microgram or • Emerade 500 microgram or • Jext 300 microgram

The guidance is available at:


<https://www.gov.uk/government/publications/using-emergency-adrenaline-auto-injectors-in-schools>

Further information can be found at <http://www.sparepensinschools.uk>

Appendix 9 – Flowchart for Allergic Reaction without use of Adrenaline Auto-Injector

Flowchart for Allergic Reaction without use of Adrenaline Auto-Injector.

Refer to the child's BSACI Allergy Action Plan if they have one and call for other staff help if needed



Appendix 10 – Flowchart for Allergic Reaction with use of Adrenaline Auto-Injector

Flowchart for Allergic Reaction with use of Adrenaline Auto-Injector.

Refer to the child's BSACI Allergy Action Plan if they have one and call for other staff help if needed

